

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING** \***1.1. Product identifier**

Product name : STAR BRITE FABRIC CLEANER & PROTECTANT  
Product code : 921XX

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU21 Consumer product. PC35 Cleaning agent. PC35 Outdoor textiles - cleaning products.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Star brite Nederland B.V.  
Kryptonweg 7  
NL-3812 RZ Amersfoort, The Netherlands  
Telephone : +31(0)337853616  
E-mail : info@starbrite.nl  
Website : http://www.starbrite.nl

Supplier : Star Brite Europe, LLC.  
4041 SW 47TH AVE  
33314 Fort Lauderdale, FL  
United States of America  
Telephone : +1 954 587 6280  
E-mail : europe@starbrite.com

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31(0)337853616 (During office hours only)

**SECTION 2 HAZARDS IDENTIFICATION** \***2.1. Classification of the substance or mixture**

CLP classification : Not classified as dangerous according to Regulation (EC) No 1272/2008.  
(1272/2008/EC)

Human health hazards : May produce an allergic reaction.  
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.  
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

**2.2. Label elements**

Label elements ((EU) 1272/2008):

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : EUH208 Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208\*.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : EUH208 Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208\*.

Additional labelling (for all packaging sizes)

: \* Contains Hydroxyphenyl-benzotriazole-derivative . May produce an allergic reaction. Keep out of reach of children.

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Non-ionic surfactants , Cationic surfactants , Amphoteric surfactants , EDTA and salts thereof	< 5
Perfumes, Limonene.	

**2.3. Other hazards**

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS** \*

**3.2. Mixtures**

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Potassium carbonate	1 - < 5	584-08-7	209-529-3		
Sodium xylenesulphonate	1 - < 5	1300-72-7	215-090-9		
Hydroxyphenyl-benzotriazole-derivative	0,01 - < 0,1	-----	400-830-7		
Sodium hydroxide	< 0,1	1310-73-2	215-185-5		

Substance name	Hazard Class	H-phrases	Pictograms	
Potassium carbonate	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3	H315; H319; H335	GHS07	
Sodium xylenesulphonate	Eye Irrit. 2	H319	GHS07	
Hydroxyphenyl-benzotriazole-derivative	Skin Sens. 1A; Aquatic Chronic 2	H317; H411	GHS07; GHS09	
Sodium hydroxide	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1	H290; H314; H318	GHS05	H314 A : C >= 5 % H314 B : C >= 2 % H318 : C >= 2 % H319 : C >= 0,5 % H315 : C >= 0,5 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

**SECTION 4 FIRST-AID MEASURES** \*

**4.1. Description of first aid measures**

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation occurs.
- Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Consult a doctor immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Effects and symptoms

- Inhalation : May cause irritation to respiratory airways and coughing.
- Skin contact : May cause dry skin. May produce an allergic reaction.

Eye contact : May cause stinging of eyes and redness.  
Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

### SECTION 5 FIRE-FIGHTING MEASURES

\*

#### 5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.  
Not suitable : Use of heavy stream of water may spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.  
Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

#### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.  
Other information : Collect contaminated fire extinguishing water separately. Avoid release of product into sewers, surface water and/or ground water.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles.

#### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

#### 6.4. Reference to other sections

Reference to other sections : See also section 8.

### SECTION 7 HANDLING AND STORAGE

\*

#### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe spray. Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place.  
Recommended packaging : Keep only in the original container.

Non recommended packaging : Steel (except stainless steel). PET and PETG.

**7.3. Specific end use(s)**

Use : Use only as directed. Do not mix with other products.

<b>SECTION 8</b>	<b>EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	*
------------------	--	---

**8.1. Control parameters**

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments	Source
Potassium carbonate		0,5	-		MAC: LV, LT

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Potassium carbonate	Inhalation			10 mg/m <sup>3</sup>	
Sodium xylenesulphonate	Dermal			16 mg/kg bw/day	
	Dermal				7,6 mg/kg bw/day
	Inhalation				53,6 mg/m <sup>3</sup>

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Potassium carbonate	Inhalation			10 mg/m <sup>3</sup>	
Sodium xylenesulphonate	Dermal			8 mg/kg bw/day	
	Dermal				3,8 mg/kg bw/day
	Inhalation				13,2 mg/m <sup>3</sup>
	Oral				3,8 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Sodium xylenesulphonate	Water	0,23 mg/l		
	Intermittent water			2,3 mg/l
	STP			100 mg/l

**8.2. Exposure controls**

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

- Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.
- Respiratory protection : Take care of sufficient ventilation.
- Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: neoprene. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

<b>SECTION 9</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>	*
------------------	---	---

**9.1. Information on basic physical and chemical properties**

Physical state	: Liquid.	
Colour	: Orange.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: 12	
Alkali reserve (g NaOH/100 ml)	: 0,3	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: Not applicable.	Does not contain combustible substances in concentrations higher than 1%.
Flammability (solid, gas)	: Not applicable.	Liquid.
Auto ignition temperature	: > 180 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: Not explosive.	
Explosion limits (% in air)	: Not applicable.	
Oxidising properties	: Not applicable.	
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: < 7 mm <sup>2</sup> /sec	(1 mm <sup>2</sup> /sec = 1cSt)
Viscosity (40°C)	: < 7 mm <sup>2</sup> /sec	
Vapour pressure (20°C)	: 2300 Pa	
Relative vapour density	: Not relevant.	The solvent content of this product is less than 1%.
Relative density (20°C)	: 1,03 g/ml	
Particle characteristics	: Not applicable.	Liquid.

**9.2. Other information**

Other information : Not relevant.

<b>SECTION 10</b>	<b>STABILITY AND REACTIVITY</b>
-------------------	---------------------------------

**10.1. Reactivity**

Reactivity : See sub-sections below.

**10.2. Chemical stability**

Stability : Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible.

**10.4. Conditions to avoid**

Conditions to avoid : See section 7.

**10.5. Incompatible materials**

Materials to avoid : Keep away from acids.

**10.6. Hazardous decomposition products**

Hazardous decomposition : Not known.  
products

**SECTION 11 TOXICOLOGICAL INFORMATION** \*

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Inhalation**

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. No specific effects and/or symptoms are known.
- Corrosion/irritation : May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

**Skin contact**

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

**Eye contact**

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

**Ingestion**

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Danger of aspiration is not expected. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

**Toxicological information:**

Chemical name	Property		Method	Test animal
Hydroxyphenyl-benzotriazole-derivative	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	LC50 (inhalation)	> 5800 mg/m3	OECD 403	Rat
	Skin irritation	Non-irritant	OECD 404	Rabbit
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Mutagenicity	Not mutagenic		
	NOAEL (oral)	5 mg/kg bw/d		Rat
NOAEL (development, oral)	Not teratogenic			

	NOAEL (fertility, oral)	Not reprotoxic
--	-------------------------	----------------

**11.2. Information on other hazards**

Endocrine disrupting properties : Not applicable.  
Other information : Not applicable.

**SECTION 12 ECOLOGICAL INFORMATION** \*

**12.1. Toxicity**

No ecotoxicological research has been carried out on this product.  
Ecotoxicity : Calculated LC50 (fish): 335 mg/l. Calculated EC50 (waterflea): 230 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : No specific information known.

**12.4. Mobility in soil**

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

**12.5. Results of PBT and vPvB assessment**

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

**12.6. Endocrine disrupting properties**

Endocrine disrupting properties : Not applicable.

**12.7. Other adverse effects**

Other adverse effects : Not applicable.

**SECTION 13 DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.  
Additional warning : None.  
Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.  
Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

**SECTION 14 TRANSPORT INFORMATION**

**14.1. UN number or ID number**

UN nr. : None.

#### 14.2. UN proper shipping name

Transport name : Not regulated.

#### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

#### 14.6. Special precautions for user

Other information : Country specific variations may apply.

#### 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

### SECTION 15 REGULATORY INFORMATION

\*

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).  
: This product is exempted from classification as "Corrosive" despite an extreme pH. Based on a tiered weight of evidence strategy.

#### 15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

### SECTION 16 OTHER INFORMATION

\*

#### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CLP : Classification, Labeling & Packaging  
CMR : Carcinogenic, Mutagenic or toxic for Reproduction  
EEC : European Economic Community  
GHS : Globally Harmonized System of Classification and Labelling of Chemicals  
IATA : International Air Transport Association

IBC code	: The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Not classified : Based on test methods, experts judgement, bridging principles and calculation methods.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : ", " used as decimal separator.

---

End of safety data sheet.