

ROBIN 2,5W

Foglio 1 di 4

TIPO APPARECCHIO

LUCI LED DA LETTURA



CARATTERISTICHE GENERALI

MATERIALI

Grado di protezione	IP40	CORPO	ABS
Applicazione	PARETE	FINITURA CORNICE	TITANIO / BIANCO
Dimensioni			
Recesso			
Foratura			
Peso	190 gr		
Fissaggio	VITI		
Orientabile	Si		
Flessibile	No		
Interruttore	Si		

SPECIFICHE ELETTRICHE

TIPO ALIMENTAZIONE	Tensione Costante		
Sorgente Luminosa	10 LED ALTA LUMINOSITA'		
Tipo Apparecchio	Monocolore		
Alimentazione	10-30 Vdc		
Potenza	2.5 W		
Assorbimento	0.11 A		
Dimmerabile / Dimmer Consigliato	Si / FASP094CA2A3D00 HDIM300 D00	Modalità dimmerazione	PWM

DATI ILLUMINECNICI

Temperatura colore

	BIANCO CALDO (2900-3100 °K)	BIANCO NATURALE (3800-4100 °K)	BIANCO FREDDO (5500-6500 °K)
CRI	80	80	
Flusso luminoso	140 lm	160 lm	
Efficienza	56 lm/W	64 lm/W	
Ø a 1 m			
Ø a 2 m			
Ø a 3 m			
Colori luce disponibili			
 BIANCO CALDO			
 BIANCO NATURALE			


CERTIFICAZIONI



RoHS

TIPO APPARECCHIO**LUCI LED DA LETTURA****SPECIFICHE PER IL COLLEGAMENTO
DEL SINGOLO APPARECCHIO**

Dimensioni in mm (inches)

POTENZA: 2.5 W**ALIMENTAZIONE: 10-30 Vdc****ASSORBIMENTO: 0.11 A****INDICAZIONI PER IL COLLEGAMENTO****AVVERTENZE****INDICAZIONI GENERALI PER COLLEGARE PIU' DI UN APPARECCHIO****INDICAZIONI PER IL MONTAGGIO**

ROBIN 2,5W

CATEGORY

READING LIGHT



GENERAL FEATURES

IP Protection grade	IP40
Installation on	WALL
Dimensions	
Recess	
Mounting hole	
Weight	190 gr
Fixing system	SCREWS
Orientable	Yes
Flexible	No
Switch	Yes

MATERIALS

BODY	ABS
BEZEL FINISHING	TITAN / WHITE

ELECTRICAL SPECIFICATIONS

TYPE OF POWER	Constant Voltage	
Light source	10 HIGH LUMINOSITY LED	
Light Type	One Color	
Power supply	10-30 Vdc	
Power consumption	2.5 W	
Absorption	0.11 A	
Dimmable / Recommended dimmer	Yes / FASP094CA2A3D00 HDIM300 D00	Dimmer mode PWM

PHOTOMETRIC DATA

Color Temperature


	WARM WHITE (2900-3100 °K)	DAY LIGHT (3800-4100 °K)	COOL WHITE (5500-6500 °K)
CRI	80	80	
Luminous flux	140 lm	160 lm	
Luminous efficacy	56 lm/W	64 lm/W	
∅ at 1 m			
∅ at 2 m			
∅ at 3 m			
Available light colours			
WW			
DL			

CERTIFICATIONS



CATEGORY**READING LIGHT****SPECIFICATION FOR THE CONNECTION OF INDIVIDUAL UNIT**

Dimensions - mm (inches)

POWER: 2.5 W**POWER SUPPLY: 10-30 Vdc****OPERATING VOLTAGE****CONNECTION INFORMATION****WARNINGS****GENERAL INFORMATION TO CONNECT MORE THAN ONE DEVICE****INSTRUCTIONS FOR ASSEMBLY**